PS Stripper

Section 1

Product Description

Product Name: PS Stripper

Recommended Use: High performance floor finish stripper

Synonyms: None Supplier Details: Ultra Chem Labs Corp 4581 Brickell Privado St Ontario, CA 91761 USA 1-909-605-1640

Emergency Telephone: 1-800-535-5053

Section 2

Hazard Identification

OSHA/HCS status:

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture: Eye irritation - Category 2

Signal word: No signal word

Hazard statements: Causes irritation to skin and eyes

Precautionary statements:

Prevention: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly

after handling.

Response : Not applicable **Storage** : Not applicable

Disposal: Dispose of contents and container in accordance with all local, regional, national and international

regulations.

General: Read label before use. Keep out of reach of children. If medical advice is needed,

have product container or label at hand.

Section 3 Composition/Information on Ingredients

Chemical Name	CAS-No	Weight %	Trade Secret
Glycol Ether PNB (N-Butoxypropanol)	5131-66-8	1-5	
Potassium Hydroxide	1310-58-3	1-5	

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Date of issue/Date of revision: 04/01/2018 Date of previous issue: Version: 1 1/10

Section 4 First Aid Measures

Description of necessary first aid measures

Eye Contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin Contact:

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion:

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most Important Symptoms/Effects, Acute And Delayed

Potential Acute Health Effects

Inhalation: No known significant effects or critical hazards. **Ingestion**: May cause burns to mouth, throat and stomach

Skin contact: May cause irritation

Eye contact: May cause eye damage

Over-Exposure Signs/Symptoms

Skin contact: Adverse symptoms may include the following: pain or irritation redness

Ingestion: Adverse symptoms may include the following: stomach pains

Inhalation: No specific data.

Eye contact: Adverse symptoms may include the following: pain, watering, redness

Indication Of Immediate Medical Attention And Special Treatment Needed, If Necessary

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

Section 5

Fire-fighting measures

Extinguishing Media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media: None known

Specific hazards arising from the chemical: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products:

Decomposition products may include the following materials:

carbon dioxide carbon monoxide metal oxide/oxides

Special protective actions for fire-fighters: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Special protective equipment for fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue/Date of revision: 04/01/2018 Date of previous issue: Version: 1 2/10

Section 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions:

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up:

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7

Handling and storage

Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 8 Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Date of issue/Date of revision: 04/01/2018 Date of previous issue: Version: 1 3/10

Section 8 Exposure controls/personal protection

Individual protection measures

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

Skin protection

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection:

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Date of issue/Date of revision: 04/01/2018 Date of previous issue: Version: 1 4/10

Section 9 Physical and chemical properties

<u>Appearance</u>

Physical state: Liquid

Color: Red

Odor: No Fragrance added
Odor threshold: Not available

pH: 9.5±0.5

Melting Point: 60 °C / 140 °F Boiling point: >100 °C Flash point: 87 °C Evaporation rate: 0.22

Flammability (solid, gas): Not available Lower and upper explosive: Not available

(flammable) limits

Vapor pressure: 8.2 mmHg Vapor density: 4.1 [Air = 1] Specific gravity: 1.03 g/cm³ Solubility:100% in water

Partition coefficient: n-octanol/water: Not available

Auto-ignition temperature: Not available

Viscosity: Not available VOC content: 0%

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

Section 10

Stability and reactivity

Reactivity: Yes, when heated to 250°C or 482°F **Chemical stability:** The product is stable.

Possibility of hazardous reactions:

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: No specific data.

Incompatible materials: Strong oxidizing agents, strong acids such as bleach

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11

Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose
Glycol Ether PNB	LD50 Oral	Rat	4980 mg/kg
(N-Butoxypropanol	LD50 Dermal	Rabbit	3100 mg/kg
Potassium Hydroxide	LD50 Oral	Rat	273 mg/kg

Irritation/Corrosion

No information available

Date of issue/Date of revision: 04/01/2018 Date of previous issue: Version: 1 5/10

Section 11

Toxicological information

Sensitization

No information available

Mutagenicity

No information available

Teratogenicity

No information available

Specific target organ toxicity (single exposure)

No information available

Specific target organ toxicity (repeated exposure)

No information available

Aspiration hazard

No information available

Information on the likely routes of exposure: No information available

Potential acute health effects

Eye contact: Causes irritation

Inhalation: No known significant effects or critical hazards.

Skin contact: Causes skin irritation.

Ingestion: Causes irritation to mouth and throat

Symptoms related to the physical, chemical and toxicological characteristics

Skin contact: Adverse symptoms may include the following: irritation, redness

Ingestion: No specific data. Inhalation: No specific data.

Eye contact: Adverse symptoms may include the following: pain or irritation, watering, redness

Delayed and immediate effects and also chronic effects from

short and long term exposure

Short term exposure:

Potential immediate effects: Not available Potential delayed effects: Not available

Long term exposure

Potential immediate effects: Not available Potential delayed effects: Not available

Date of issue/Date of revision: 04/01/2018 Date of previous issue: Version: 1 6/10

Section 11

Toxicological information

Potential chronic health effects

Not available

General: No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards. **Mutagenicity**: No known significant effects or critical hazards. **Teratogenicity**: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value	
Oral	14214 mg/kg	

Section 12

Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Glycol Ether PNB (N-Butoxypropanol)	Acute LC50 8.4 mg/l	Fish-Pimephales promelas	96 hours
Potassium Hydroxide	Acute LC50 0.45 mg/l	Fish-Pimephales promelas	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition: Not available

coefficient (KOC)

Other adverse effects: No known significant effects or critical hazards.

Section 13

Disposal considerations

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision: 04/01/2018 Date of previous issue: Version: 1 7/10

Section 14

Transport information

DOT Classification: Not regulated

Additional Information: Keep from freezing

Special precautions for user:

Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Section 15

Regulatory information

U.S. Federal regulations:

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112: Not listed

(b) Hazardous Air Pollutants (HAPs)

SARA 311/312

Classification: Immediate (acute) health hazard Composition/information on ingredients:

Name	%	Fire Hazard	Sudden Release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Glycol Ether Potassium Hydroxide	1-5 1-5	No No	No No	No No	Yes Yes	No No

State regulations:

California Proposition 65

This product contains no Proposition 65 chemicals:

International regulations

Canada inventory: All components are listed or exempted.

CERCLA

This material, as supplied, contains no substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Clean Water Act

This product contains no substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Section 16

Other information

Hazardous Material Information System (U.S.A.)



Date of issue/Date of revision: 04/01/2018 Date of previous issue: Version: 1 8/10

Section 16

Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (NFPA)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Issuing Date: 04/01/2018

Revision Date:

Prepared By: Ultra Chem Labs Corp

4581 Brickell Privado St Ontario, CA 91761 909-605-1640

ario, CA 91761 **Revision Note**: New Issue

Section 16

Other information

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision: 04/01/2018 Date of previous issue: Version: 1 9/10

Date of issue/Date of revision : 04/01/2018 Date of previous issue : Version : 1 10/10